






MR16, PAR20, PAR30 & PAR38 ENHANCELITE™ LED LAMP SPECIFICATIONS



Lamp Type	Power (W)	Lumen Output	Beam Angle	CBCP (cd)	Efficacy (lm/W)	CCT (K)	CRI	Voltage	Base Type	Rated Life (hrs)	Weight	Dimmable	Model No.
 MR16	3.9	250	27°	1,100	64	3000K Warm White	82	12 VAC	GU 5.3	50,000	2 oz (0.06 kg)	YES	LED-MR16-20-12WD-INF
	6.0	324	27°	1,420	54								LED-MR16-35-12WD-INF
 PAR20	3.5	230	27°	800	66	3000K Warm White	83	90-135 VAC, 60Hz	E26	50,000	6 oz (0.17 kg)	YES	LED-PAR20-35-1WD-INF
	5.9	372	27°	1,300	63								LED-PAR20-50-1WD-INF
	3.5	215	35°	506	61								LED-PAR20-35-1WD-IF
	5.9	355	35°	815	60								LED-PAR20-50-1WD-IF
 PAR30 (Short Neck)	7.9	490	27°	1,690	62	3000K Warm White	83	90-135 VAC, 60Hz	E26	50,000	10.0 oz (0.28 kg)	YES	LED-PAR30S-50-1WD-INF
	14.3	750	27°	2,600	52								LED-PAR30S-75-1WD-INF
	7.9	474	35°	1,066	60								LED-PAR30S-50-1WD-IF
	14.3	740	35°	1,680	52								LED-PAR30S-75-1WD-IF
 PAR30 (Long Neck)	7.9	490	27°	1,690	62	3000K Warm White	83	90-135 VAC, 60Hz	E26	50,000	10.3 oz (0.29 kg)	YES	LED-PAR30L-50-1WD-INF
	14.3	750	27°	2,600	52								LED-PAR30L-75-1WD-INF
	7.9	474	35°	1,066	60								LED-PAR30L-50-1WD-IF
	14.3	740	35°	1,680	52								LED-PAR30L-75-1WD-IF
 PAR38	13.5	760	27°	2,645	56	3000K Warm White	83	90-135 VAC, 60Hz	E26	50,000	1 lb 0.4 oz (0.46 kg)	YES	LED-PAR38-75-1WD-INF
	19.0	950	27°	3,550	50								LED-PAR38-90-1WD-INF
	13.5	710	35°	1,700	53								LED-PAR38-75-1WD-IF
	19.0	870	35°	2,285	46								LED-PAR38-90-1WD-IF

DESIGNED AND MANUFACTURED IN THE USA

TESTED TO:
UL1993, UL8750 & CSA 84



CERTIFICATION NUMBER:
U8 10 09 71814 003

All LEDnovation lamp models are tested for photometric performance in accredited third-party labs according to IES LM-79 requirements, with reports available online at www.lednovation.com



GREENLIGHT INITIATIVE – New York, NY - Ph: (718) 784-4440 - Fax: (718) 228-8202 – Toll Free: 888-788-LEDS (5337) Sales@lednyc.com – info@lednyc.com – www.LEDnyc.com